SOUL COLLECTION





Welcome to a new dimension of Wellness



Summary


Soul Collection	9
SOUL SAUNA	
Introduction	12
Wellness at its best	14
Functional design	18
Configuration	20
Technical data	22
Layout	23
SOUL STEAM ROOM	
Introduction	36
Design, technology and style for your wellness rituals	38
Functional design	42
Configuration	44
Technical data	46
Layout	47

SOUL SHOWER

Introduction	52
Functional design	54
Functional design	58
Configuration	60
Technical data	62
Layout	63

THE SUSTAINABLE SPA

Smart Technology	68






Soul Collection


Colour impressions and contemporary design

Soul Collection has a distinctively contemporary style that reshapes the Nordic tradition of wellness, offering a unique atmosphere with charming colours.

This collection was developed with the goal to allow people to customise their experience through our Wellness products featuring elegant, warm and embracing colours.

Its clean-cut lines, natural-inspire cladding and **colour options** make it perfect for any environment; it merges seamlessly with the surrounding space, turning into functional décor.





Soul Sauna

WARM WELL-BEING

Soul Sauna transports the charm of the Nordic culture in a product characterised by **very contemporary design** and urban style.

An exclusive place **customisable with unique colours**: sophisticated shades that blend in the environment and offer a multi-sensory experience.

Because psycho-physical well-being also involves the link between different states of mind and different colour shades.



SOUL SAUNA SOUL SAUNA

Wellness at its best

Attention to details, essential appearance, colours, fragrances and natural-inspired materials that are soft to the touch make the sauna experience even more remarkable.





BENEFITS

Soul Sauna features the intense heat and atmosphere of the Finnish sauna, with a temperature of 80-90°C and humidity rate of 10-20% which make it ideal to relax muscles and train the cardiocirculatory system. Also available in the Soft Sauna version, characterised by a mild heat, for a gentle and embracing wellness experience.

RITUALS


Thanks to the oven, it is possible to perform au Aufguss ritual which enhances the beneficial effects of heat.

Essential oils may be used as a paramount element in wellness rituals and combined with sprayed water, for an immediate sensation of freshness.





An embracing beam of indirect light that brightens the interior in wood, enhancing its purity. A diffused blaze that evokes the original lighting of saunas, when sun rays shone through the small windows nested in the walls.




COMBI OPTION

The "Combi" option includes and combines, in one environment, the traditional oven typical of the Finnish sauna and the infra-red lamps, which warm up the body through the ergonomic seat.



1- The "Combi" option combines the oven of the Finnish sauna and the infra-red lamps.



2- Thermometer and hygrometer, ideal to monitor the temperature and humdity inside Soul Sauna.





3- Slats pattern and benches inside Soul Sauna.

4- Soul Sauna with Blue Soul walls and benches and ceiling in Black Soul The handle matches the colour of the internal cladding.

SOUL SAUNA SOUL SAUNA

Functional design

The design by Starpool is the right balance between beauty and function. The resulting environment then fulfils not just the appearance, but also meets specific requirements both in terms of space and sustainability.

1. DOOR

Comfort, convenience and accessibility thanks to the door now increased in width to 87 cm.

2. LIGHTING

A cascade of indirect light naturally illuminates the inside, enhancing the natural effect of the materials. An even, diffused blaze, whose intensity can be regulated thanks to the white dimmable LED light bar installed on the back wall.

3 NATURAL AIR EXTRACTION

The system of natural air bottom-up extraction ensures continuous recirculation and clean air.

4. SUSPENDED BENCH

The suspended bench make cleaning operations easier.

5. SAFETY AND MONITORING

The oven is separated from the wooden structure thanks to a wall in gres porcelain or satin glass to protect it from the heat. Moreover, the pressure-activated safety system allows to fully disconnect the power supply if necessary.

6. SLIDING TECHNICAL COMPARTMENT

The sliding technical compartment, installable for cabins with a maximum dimension of 195x195 cm, allows to carry out all ordinary maintenance operations easily and independently. The technical compartment can also be remote, at a maximum distance of 10 metres from the cabin.

7. ALARM BUTTON

The alarm button inside the cabin stops all the functions and cuts the power supply, sending an alarm signal to the monitoring device.

CONVENIENCE

The installation is quick and safe and the product can be disassembled and assembled again elsewhere.

BE GREEN

The Green Pack software for the **reduction of energy consumption** is a standard feature in
Soul Sauna. It enables **power adjustment** when
the set temperature is reached and **automatic door closing**. In addition, smart sensors stop
heat production if the door remains open for a
prolonged time, sending an alarm signal to the
monitoring device.



SOUL SAUNA SOUL SAUNA

Configuration



WALLS, BENCHES AND CEILING AVAILABLE IN:



Fir Soul European spruce



Green Soul Green-waxed fir



OVEN WALL CLADDING AVAILABLE IN:

White Matt White gres porcelain slabs



Grey Matt Grey gres porcelain slabs



Greige Matt Greige gres porcelain slabs



Hemlock Soul Hemlock



Purple Soul Purple-waxed fir



White Soul White satin glass slabs



slabs

Black Soul Green Soul Black satin glass Green satin glass slabs



Black Soul Black-waxed fir



Blue Soul Blue-waxed fir



Blue Soul Blue satin glass slabs



Purple Soul Purple satin glass slabs



White Soul White-waxed fir



Toulipier Thermowood Toulipier Thermowood


Technical data

Minimum overall dimensions for installation with sliding technical compartment (cm) 185 w x 185 d x 200 w x 100 d x 260 h 230 w x 100 d x 260 h 230 w x 200 d x 260 h 230 w x 200 d x 260 h 230 w x 105 d x 240 h - 230 w x 200 d x 260 h 260 w x 200 w x 200 d x 260 h 260 w x 200 w x 200 d x 260 h 260 w x 200 w	External dimensions with sliding technical compartment (cm)	175 w x 150 d x 233 h x2 - 220 w x 105 d x 233 h x2 220 w x 150 d x 233 h x3 - 220 w x 195 d x 233 h x4 250 w x 195 d x 233 h x5
installation with sliding technical compartment (cm) Minimum installation dimensions installation dimensions with remote technical compartment (cm) Minimum installation dimensions installation dimensions with remote technical compartment (cm) 205 w x 155 d x 240 h - 205 w x 10 d x 260 h 205 w x 200	External dimensions with remote technical compartment (cm)	195 w x 150 d x 233 h 🌦 x3 - 195 w x 195 d x 233 h 🌦 x4 225 w x 195 d x 233 h 흚 x5 - 285 w x 195 d x 233 h 📥 x6
with remote technical compartment (cm) 235 w x 205 d x 240 h - 295 w x 200 d x 260 h 235 w x 200 d x 260 h 295 w x 290 d x 260 h 295 w x 200 d x 260 h 295	Minimum overall dimensions for installation with sliding technical compartment (cm)	230 w x 155 d x 240 h - 230 w x 200 d x 260 h
Maximum consumption (kW) Finnish sauna 5 – 12,5 Combi Option: 5,5 – 13,5 +0,4 for each seating Soft Sauna 5,8 – 15,5 (Combi option not available with Soft version) Technology Finnish sauna / Soft Sauna / Infrared Therapy Temperature Finnish Sauna 90 - 100 °C / Combi 35 - 40 °C / Soft Sauna 50 - 60 °C Humidity Finnish Sauna 10 - 20% / Combi 10 - 20% / Soft Sauna 40 - 60% Heating Electric oven (with manual water supply in the Soft Sauna version) Combi Option: electric oven + infra-red lamps (Type B and C infra-red radiation; average wavelength 3100 nm) Lighting Ceiling-installed dimmable 2700°K white LED light bar Music kit Integrated music kit with preset selection of Spa Music by Starpool MP3; power supply 12 V/AC, impedance 8 Ohm, power of the two outputs 20 W + 20 W, supported formats .mp3, .wma, usb 2.0 Loudspeakers: power 30 W, impedance 4 Ohm Frame / Door Door in 10-mm thick tempered glass Door width: 87 cm Door handle: steel/wood Height: 98 cm; square section: 30x30-mm Structure Self-bearing wooden structure installable on site (minimum thickness: 81 cm; U=0.49 W/m2K) Electrical system and plumbing above the cabin - included in the given height. Floor not supplied, to be realised according to project Technical compartment Options: technical pone prement; or siliding technical compartment; or siliding technical compartment (25-cm-w) to install	Minimum installation dimensions with remote technical compartment (cm)	205 w x 155 d x 240 h - 205 w x 200 d x 260 h 235 w x 200 d x 260 h - 295 w x 200 d x 260 h
Combi Option: 5.5 – 13,5 +0,4 for each seating Soft Sauna 5,8 – 15,5 (Combi option not available with Soft version) Technology Finnish sauna / Soft Sauna / Infrared Therapy Temperature Finnish Sauna 90 - 100 °C / Combi 35 - 40 °C ° / Soft Sauna 50 - 60 °C Humidity Finnish Sauna 10 - 20% / Combi 10 - 20% / Soft Sauna 40 - 60% Heating Electric oven (with manual water supply in the Soft Sauna version) Combi Option: electric oven + infra-red lamps (Type B and C infra-d radiation; average wavelength 3100 nm) Lighting Ceiling-installed dimmable 2700 °K white LED light bar Music kit Integrated music kit with preset selection of Spa Music by Starpool MP3; power supply 12 V/AC, impedance 8 Ohm, power of the two outputs 20 W + 20 W, supported formats .mp3, .wma, usb 2.0 Loudspeakers: power 30 W, impedance 4 Ohm Frame / Door Door in 10-mm thick tempered glass Door width: 87 cm Door handle: steel/wood Height: 98 cm; square section: 30x30-mm Structure Self-bearing wooden structure installable on site (minimum thickness: 8.1 cm; U=0.49 W/m2K) Electrical system and plumbing above the cabin - included in the given height. Floor not supplied, to be realised according to project Technical compartment Options: technical panel in remote technical compartment; or sliding technical compartment (25-cm-w) to install	Voltage	230 Vac 1P+N+PE / 400 Vac 3P+N+PE
Temperature Finnish Sauna 90 - 100 °C / Combi 35 - 40 °C / Soft Sauna 50 - 60 °C Humidity Finnish Sauna 10 - 20% / Combi 10 - 20% / Soft Sauna 40 - 60% Heating Electric oven (with manual water supply in the Soft Sauna version) Combi Option: electric oven + infra-red lamps (Type B and C infra-red radiation; average wavelength 3100 nm) Lighting Ceiling-installed dimmable 2700°K white LED light bar Music kit Integrated music kit with preset selection of Spa Music by Starpool MP3: power supply 12 V/AC, impedance 8 Ohm, power of the two outputs 20 W + 20 W, supported formats .mp3, .wma, usb 2.0 Loudspeakers: power 30 W, impedance 4 Ohm Frame / Door Door in 10-mm thick tempered glass Door width: 87 cm Door handle: steel/wood Height: 98 cm; square section: 30x30-mm Structure Self-bearing wooden structure installable on site (minimum thickness: 8.1 cm; U=0.49 W/m2K) Electrical system and plumbing above the cabin - included in the given height. Floor not supplied, to be realised according to project Technical compartment Options: technical panel in remote technical compartment; or sliding technical compartment (25-cm-w) to install	Maximum consumption (kW)	Combi Option: 5,5 – 13,5 +0,4 for each seating
Humidity Finnish Sauna 10 - 20% / Combi 10 - 20% / Soft Sauna 40 - 60% Electric oven (with manual water supply in the Soft Sauna version) Combi Option: electric oven + infra-red lamps (Type B and C infra-red radiation; average wavelength 3100 nm) Lighting Ceiling-installed dimmable 2700°K white LED light bar Music kit Integrated music kit with preset selection of Spa Music by Starpool MP3: power supply 12 V/AC, impedance 8 Ohm, power of the two outputs 20 W + 20 W, supported formats .mp3, .wma, usb 2.0 Loudspeakers: power 30 W, impedance 4 Ohm Frame / Door Door in 10-mm thick tempered glass Door width: 87 cm Door handle: steel/wood Height: 98 cm; square section: 30x30-mm Structure Self-bearing wooden structure installable on site (minimum thickness: 8.1 cm; U=0.49 W/m2K) Electrical system and plumbing above the cabin - included in the given height. Floor not supplied, to be realised according to project Technical compartment Options: technical panel in remote technical compartment; or sliding technical compartment (25-cm-w) to install	Technology	Finnish sauna / Soft Sauna / Infrared Therapy
Heating Electric oven (with manual water supply in the Soft Sauna version) Combi Option: electric oven + infra-red lamps (Type B and C infra-red radiation; average wavelength 3100 nm) Lighting Ceiling-installed dimmable 2700°K white LED light bar Music kit Integrated music kit with preset selection of Spa Music by Starpool MP3: power supply 12 V/AC, impedance 8 Ohm, power of the two outputs 20 W + 20 W, supported formats .mp3, .wma, usb 2.0 Loudspeakers: power 30 W, impedance 4 Ohm Frame / Door Door in 10-mm thick tempered glass Door width: 87 cm Door handle: steel/wood Height: 98 cm; square section: 30x30-mm Structure Self-bearing wooden structure installable on site (minimum thickness: 8.1 cm; U=0.49 W/m2K) Electrical system and plumbing above the cabin - included in the given height. Floor not supplied, to be realised according to project Technical compartment Options: technical panel in remote technical compartment; or sliding technical compartment (25-cm-w) to install	Temperature	Finnish Sauna 90 - 100 °C / Combi 35 - 40 C° / Soft Sauna 50 - 60 °C
(with manual water supply in the Soft Sauna version) Combi Option: electric oven + infra-red lamps (Type B and C infra-red radiation; average wavelength 3100 nm) Lighting Ceiling-installed dimmable 2700°K white LED light bar Music kit Integrated music kit with preset selection of Spa Music by Starpool MP3: power supply 12 V/AC, impedance 8 Ohm, power of the two outputs 20 W + 20 W, supported formats .mp3, .wma, usb 2.0 Loudspeakers: power 30 W, impedance 4 Ohm Frame / Door Door in 10-mm thick tempered glass Door width: 87 cm Door handle: steel/wood Height: 98 cm; square section: 30x30-mm Structure Self-bearing wooden structure installable on site (minimum thickness: 8.1 cm; U=0.49 W/m2K) Electrical system and plumbing above the cabin - included in the given height. Floor not supplied, to be realised according to project Technical compartment Options: technical panel in remote technical compartment; or sliding technical compartment (25-cm-w) to install	Humidity	Finnish Sauna 10 - 20% / Combi 10 - 20% / Soft Sauna 40 - 60%
Music kit Integrated music kit with preset selection of Spa Music by Starpool MP3: power supply 12 V/AC, impedance 8 Ohm, power of the two outputs 20 W + 20 W, supported formats .mp3, .wma, usb 2.0 Loudspeakers: power 30 W, impedance 4 Ohm Frame / Door Door in 10-mm thick tempered glass Door width: 87 cm Door handle: steel/wood Height: 98 cm; square section: 30x30-mm Structure Self-bearing wooden structure installable on site (minimum thickness: 8.1 cm; U=0.49 W/m2K) Electrical system and plumbing above the cabin - included in the given height. Floor not supplied, to be realised according to project Technical compartment Options: technical panel in remote technical compartment; or sliding technical compartment (25-cm-w) to install	Heating	(with manual water supply in the Soft Sauna version) Combi Option: electric oven + infra-red lamps
MP3: power supply 12 V/AC, impedance 8 Ohm, power of the two outputs 20 W + 20 W, supported formats .mp3, .wma, usb 2.0 Loudspeakers: power 30 W, impedance 4 Ohm Frame / Door Door in 10-mm thick tempered glass Door width: 87 cm Door handle: steel/wood Height: 98 cm; square section: 30x30-mm Structure Self-bearing wooden structure installable on site (minimum thickness: 8.1 cm; U=0.49 W/m2K) Electrical system and plumbing above the cabin - included in the given height. Floor not supplied, to be realised according to project Technical compartment Options: technical panel in remote technical compartment; or sliding technical compartment (25-cm-w) to install	Lighting	Ceiling-installed dimmable 2700°K white LED light bar
Door width: 87 cm Door handle: steel/wood Height: 98 cm; square section: 30x30-mm Structure Self-bearing wooden structure installable on site (minimum thickness: 8.1 cm; U=0.49 W/m2K) Electrical system and plumbing above the cabin - included in the given height. Floor not supplied, to be realised according to project Technical compartment Options: technical panel in remote technical compartment; or sliding technical compartment (25-cm-w) to install	Music kit	outputs 20 W + 20 W, supported formats .mp3, .wma, usb 2.0
(minimum thickness: 8.1 cm; U=0.49 W/m2K) Electrical system and plumbing above the cabin - included in the given height. Floor not supplied, to be realised according to project Technical compartment Options: technical panel in remote technical compartment; or sliding technical compartment (25-cm-w) to install	Frame / Door	Door width: 87 cm Door handle: steel/wood
Technical compartment Options: technical panel in remote technical compartment; or sliding technical compartment (25-cm-w) to install	Structure	(minimum thickness: 8.1 cm; U=0.49 W/m2K) Electrical system and plumbing above the cabin - included in the given height.
	Technical compartment	Options: technical panel in remote technical compartment; or sliding technical compartment (25-cm-w) to install

Functions

ON / OFF	from technical compartment
Lighting	from technical compartment
Sound diffusion + Music	from technical compartment
Alarm	from button inside the sauna

Layout




SOUL SAUNA




SOUL SAUNA SOUL SAUNA





Layout











Soul Steam Room

A STEAM EMBRACE

Soul Steam Room is an evocative environment in **perfect urban style**. A solution of contemporary taste, where the **steam bath** is enhanced by the **showerhead**, for total well-being in an only environment.

An exclusive place, made even more elegant and original thanks to the style details and the customisable embracing shades lending an emotional feeling to it.


Thanks to its small dimension and to highly innovative technology, it suits every environment.



Design, technology and style for your wellness rituals

A product designed to offer exclusive moments of regeneration and relaxation thanks to an unprecedented choice of colours and advanced technology and performance.






BENEFITS

Steam and scented fragrances combine and gently rest on the skin, making natural exfoliation easier and promoting the elimination of skin impurities. The temperature of 45°C and the humidity rate of 98% help to strengthen the defences of the upper respiratory tract.

SHOWER AND WATER BLADE

The open-air-rain effect of the shower turns a simple moment dedicated to self-care into an experiences that involves all senses. Thanks to the mixer that regulates the temperature, the water blade goes from being a warm and vigorous neck massage to becoming a water fall – especially indicated to refresh the body during the session inside the steam bath.






An only solution that includes mixer to control water temperature hot and cold water and diverter to activate the wall-mounted handshower, the showerhead or the water blade. All the fittings are realised according to our exclusive design and ergonomic shapes. The handles have a distinct texture that ensures better grip.



COLOURS

Soul Steam Room wears unique colours, acquiring a remarkable emotional impact. Shades become perfect cut-to-measure garments decorating the walls with elegance. The unprecedented colour options pave the way for complete product customization, without any limit in terms of shades.



1- The ceiling of Soul Steam Room is inspired by the comfortable and soft lines of a sofa.



2- Suspended bench of Soul Steam Room.



3- Detail of the water fittings of Soul Steam Room created by designer Cristiano Mino.



4- Soul Steam Room in the Grey Matt version.

Functional design

The design by Starpool is the right balance between beauty and function.

The resulting environment then fulfils not just the appearance, but also meets specific requirements both in terms of space and sustainability.

1. DOOR

Comfort, convenience and accessibility thanks to the door now increased in width to 87 cm.

2. LIGHTING

A cascade of indirect light naturally illuminates the inside, enhancing the soft effect of the materials. An even, diffused blaze, whose intensity can be regulated thanks to the white dimmable LED light bar installed on the back wall.

3. NO GROUTING

With less than 1% of the gres porcelain or satin glass surface is grouted, Soul Steam Room is the product that offers the best level of hygiene.

4. BENCH

The suspended bench removed from the wall makes cleaning operations easier, preventing water stagnation. Its cladding is in anti-bacterial material that is easy to sanitise.

5. SHOWER / WATER BLADE / HANDSHOWER

An only solution that includes mixer to control water temperature and diverter to activate the wall-mounted handshower, the showerhead or the water blade.

6. SLIDING TECHNICAL COMPARTMENT

The sliding technical compartment, installable for cabins with a maximum dimension of 195x195 cm, allows to carry out all ordinary maintenance operations easily and independently. The technical compartment can also be remote, at a maximum distance of 10 metres from the cabin.

7. ALARM BUTTON

The alarm button inside the cabin stops all the functions and cuts the power supply, sending an alarm signal to the monitoring device.

8. FRAME


The front wall is surrounded by an elegant 3-cm-thick frame in Solid Surface.

CONVENIENCE

The installation is quick and safe and the product can be disassembled and assembled again elsewhere.

BE GREEN

The Green Pack software for the **reduction of energy consumption** is a standard feature in Soul
Steam Room. It enables **power adjustment** when
the set temperature is reached and **automatic door closing**. In addition, smart sensors stop
heat production if the door remains open for a
prolonged time, sending an alarm signal to the
monitoring device.



Configuration



WALLS AND BENCH AVAILABLE IN:



Grey Matt Grey gres porcelain



White Matt White gres porcelain



Greige Matt Greige gres porcelain

WALLS AND CEILING AVAILABLE IN:



Black Soul Black satin glass



White Soul
White satin glass



Green Soul
Green satin glass



Solid surface Black

BENCH AVAILABLE IN:



Solid surface White



Purple Soul
Purple satin glass



Blue Soul Blue satin glass


Technical data


External dimensions with sliding technical compartment (cm)	130 w x 195 d x 233 h x1 - 175 w x 150 d x 233 h x2 220 w x 105 d x 233 h x2 - 220 w x 150 d x 233 h x3 220 w x 195 d x 233 h x4
External dimensions with remote technical compartment (cm)	105 w x 195 d x 233 h x2 - 150 w x 150 d x 233 h x2 195 w x 105 d x 233 h x2 - 195 w x 150 d x 233 h x3 195 w x 195 d x 233 h x4 - 285 w x 195 d x 233 h x6 285 w x 285 d x 233 h x8
Minimum dimensions for installation with sliding technical compartment (cm)	140 w x 200 d x 240 h - 185 w x 155 d x 240 h 230 w x 110 d x 240 h - 230 w x 155 d x 240 h 230 w x 200 d x 260 h
Minimum installation dimensions with remote technical compartment (cm)	115 w x 200 d x 240 h - 160 w x 155 d x 240 h 205 w x 110 d x 240 h - 205 w x 155 d x 240 h 205 w x 200 d x 260 h - 295 w x 200 d x 260 h 295 w x 290 d x 260 h
Voltage	230 Vac 1P+N+PE / 400 Vac 3P+N+PE
Maximum consumption (kW)	3.5 – 12.5
Technology	Steam bath
Temperature	43 - 45°C
Humidity	98%
Heating	Direct steam inlet (with automatic fragrance release)
Lighting	Ceiling-installed dimmable 2700°K white LED light bar
Music kit	Integrated music kit with preset selection of Spa Music by Starpool
	MP3: power supply 12 V/AC, impedance 8 Ohm, power of the two outputs 20W + 20W, supported formats .mp3, .wma, usb 2.0
	Loudspeakers: power 30 W, impedance 4 Ohm
Frame / Door	3-cm white or black frame to front glass wall
	Door in 10-mm thick tempered glass Door width: 87 cm
	Handle: AISI 316L steel / steel Height: 98 cm; square section: 30x30
Structure	Self-bearing aluminium structure installable on site (minimum thickness: 8.1 cm, U=0.49 W/m2K)
	Electrical system and plumbing above the cabin - included in the given height
	Floor not supplied, to be realised according to project


Functions


ON / OFF	from technical compartment
Lighting	from technical compartment
Sound diffusion + Music	from technical compartment
Alarm	from button inside the steam bath


Layout











Soul Shower

THE REGENERATING POWER OF WATER

Soul Shower transforms a shower in a cosy and comfortable environment where you can let yourself be embraced by all the sensations that only water can give. A unique product that combines modern design and Nordic tradition. Its elegant lines and fine shades blend perfectly in any environment, enhancing its appearance.

Soul Shower offers an experience of **authentic well-being**, where you can also adjust the water temperature according to your needs. The wide jet that embraces the body and the sound of water create a regenerating atmosphere, where a simple shower becomes an actual **sensory ritual**.




SOUL SHOWER SOUL SHOWER

Complete your wellness

A unique product that encloses the pleasant sensations of water and lends a new personality to the surrounding space.






BENEFITS

Soul Shower ensures the recovery of physical balance thanks to various cold reactions. This is possible thanks to the jet intensity and the water temperature, which can be adjusted to specific individual needs.


SHOWER AND WATER BLADE

The open-air-rain effect of the shower turns a simple moment dedicated to self-care into an experiences that involves all senses. Thanks to the mixer that regulates the temperature, the water blade goes from being a warm and vigorous neck massage to becoming a regenerating water fall.



WATER FITTINGS

An only solution that includes mixer to control water temperature hot and cold water and diverter to activate the handshower or shower head. All the fittings are realised according to our exclusive design and ergonomic shapes. The handles have a knurling texture that ensures better grip.



COLOURS

Soul Shower wears unique colours, acquiring a remarkable emotional impact. Shades become perfect cut-to-measure garments decorating the walls with elegance.


The unprecedented colour options pave the way for complete product customization, without any limit in terms of shades.



1- The ceiling of Soul Shower is characterised by soft and elegant lines.



2- Detail of the water fittings of Soul Shower created by designer Cristiano Mino.



3- The showerhead has an open-air-rain effect that ensures a unique sensory experience.



SOUL SHOWER SOUL SHOWER

Functional design

The design by Starpool is the right balance between beauty and function.

The resulting environment then fulfils not just the appearance, but also meets specific requirements both in terms of space and sustainability.

1. DOOR

Comfort, convenience and accessibility thanks to the door now increased in width to 87 cm.

2. LIGHTING

A cascade of indirect light naturally illuminates the inside, enhancing the soft effect of the materials. An even, diffused blaze, whose intensity can be regulated thanks to the white dimmable LED light bar installed on the back wall.

3. NO GROUTING

With less than 1% of the gres porcelain or satin glass surface is grouted, Soul Steam Room is the product that offers the best level of hygiene.

4. SHOWER / WATER BLADE / HANDSHOWER

An only solution that includes mixer to control water temperature and diverter to activate the wall-mounted handshower, the showerhead or the water blade.

FRAME

The front wall is surrounded by an elegant 3-cm-thick frame.

CONVENIENCE

The installation is quick and safe and the product can be disassembled and assembled again elsewhere.



SOUL SHOWER SOUL SHOWER

Configuration



WALLS AND BENCH AVAILABLE IN:



Grey Matt Grey gres porcelain



White Matt White gres porcelain



Greige Matt Greige gres porcelain

WALLS AND CEILING AVAILABLE IN:



Black Soul Black satin glass



White Soul White satin glass




Green Soul
Green satin glass



BENCH AVAILABLE IN:

Solid surface Black



Solid surface White



Purple Soul
Purple satin glass



Blue Soul Blue satin glass

SOUL SHOWER

SOUL SHOWER


Technical data


External dimensions with sliding technical compartment (cm)	130 w x 105 d x 233 h 130 w x 195 d x 233 h
	220 w x 105 d x 233 h
External dimensions	105 w x 105 d x 233 h
with remote technical compartment (cm)	105 w x 195 d x 233 h 195 w x 105 d x 233 h
Minimum dimensions	140 w x 110 d x 240 h
for installation	140 w x 200 d x 240 h 230 w x 110 d x 240 h
Minimum overall dimensions for	115 w x 110 d x 240 h
installation with remote technical	115 w x 200 d x 240 h
room (cm)	205 w x 110 d x 240 h
Voltage	230 Vac 3P+N+PE
Maximum consumption (kW)	0,2
Technology	Shower with water blade
Lighting	Ceiling-installed dimmable 2700°K white LED light lamp
Frame / Door	3-cm frame to front glass wall
	87-cm-wide door in 10-mm-thick clear glass
	Handle: AISI 316L steel / steel Height: 98 cm; square section: 30x30 mm
Structure	Self-bearing aluminium structure installable on site (minimum thickness: 8.1 cm, U=0.49 W/m2K).
	IElectrical system and plumbing above the cabin - include in the given height.
	Floor not supplied, to be realised according to project

Functions


ON / OFF	Da vano tecnico
Lighting	Da vano tecnico


Layout





SOUL SHOWER







The sustainable Spa

THE SUSTAINABLE SPA

THE SUSTAINABLE SPA

Smart Technology

Sustainable products and technologically performing systems contribute to defining the quality standard of each activity.

Control Unit and Eco Spa Technology are the software solutions that we propose to reduce our products' energy consumption, as well as improve and automate their functions. Technology in the service of our clients to increase connectivity to a computer network which is more and more sophisticated and, at the same time, user- easy.

The remote **management** of our every realisation, ranging from the room temperature parameters to the scheduling of the switching on and off of the cabin, **as well as predictive maintenance**, ensure **constant consumption monitoring and optimization of operating costs.**

To make wellness more and more accessible and smart.




Discover more on our technological solutions and innovations



GREEN PACK

This software allows to **reduce energy consumption** thanks to **smart sensors** that stop the production of steam and heat if in case the door remains open for a prolonged time, through an alarm signal from the product control device.

In addition, it features a **power adjustment** function when the set temperature is reached and a self-closing door.



SIM 4.0

It is a subscription software that allows for **the remote management** of the spa. Thanks to a dashboard, Sim 4.0 allows to view the main **parameters of the equipment**: consumption, entries and anomalies. As an extra service, thanks to our **Business Intelligence**, it is also possible to receive a **three-monthly report** to make the spa management easier. A **remote support service** is also available upon request to reduce the intervention time and costs.



DEEP CLEAN

The software generates **programmable cycles** of thermal shock to achieve **over 95% disinfection**.

This process involves a forced temperature increase in the cabins, thus eliminating impurities and pathogens.



MY W-PLACE

We believe that technology has the power to improve many aspects of every-day life. This is why we wanted to create My W-Place, our intuitive, practical, complete app, which offers valuable support in managing your spa remotely and improves the wellness experience with a number of quality contents, such as Mindfulness and guided breathing programs, music, and the latest news from the world of Wellness.





Via Stazione 25 · 38030 Ziano di Fiemme (TN) · Italy +39 0462 571 881 · info@starpool.com starpool.com